



kingston **arts** centre

Technical Specifications

Updated
22/06/2017

Arts & Cultural Services Operations Co-ordinator: Vince Healy

Phone number: 03-9556-4413

Mobile Number: 0418 - 345 - 969

Fax number: 03-9555-9603

Email address: vince.healy@kingston.vic.gov.au

STAGE**Brief Stage Description:**

Flat floor style polished wooden floorboards. Screwing into surface is not permitted. Crossover is via hallway through USP and USOP doors. Note this hallway is also public access.

Stage rake **No**

Stage Dimensions:

Width **10.6m**
Height **3.7m to LX Grid**

Distance From (*SL = Setting Line, CL = Centre Line*)

CL to OP wall (or obstruction) **5.3m**
CL to PS wall (or obstruction) **5.3m**
Stage to underside of grid **3.7m to LX Grid**

Auditorium:

Auditorium is a flat floor studio space. Seating bank is raked and fully retractable. Can be retracted to any amount of rows required within capacity.

Seating capacity Theatre Style **94. Full seating Bank**
Seating capacity Cabaret Style **88. 2 rows of seating 14 seats per row. 10 tables of 6 people.**
Seating capacity Full Cabaret **90. 15 tables of 6 people.**

Flying Facilities:

Fly System
Fixed LX Grid.

Drapery:

*Type	Material	Colour	Width	Height	Quantity
Legs	Wool	Black	1700	3700mm	2 sets
Tabs / Smother	Wool	Black	5300mm	3700mm	2 sets

Access Equipment:**Ladders**

1 x 3.35m Fibreglass A frame

Loading Dock:**Access**

Access to loading dock via service lane in front of the building. Truck can reverse to lift door. Must be parked at 90 degrees to the lift.

Goods lift Dimensions **Lift Door** **2090 H x 1495 W**
Lift **2670 H x 1885 W x 1900 Deep**

Patching:

Location	Quantity	Numbering (PS to OP)	Detail / Accessories
LX3	18	7-24	
LX1	18	37-54	
Patch Box	7 Boxes	-	6 LX Patches Per Box, 2 Double GPOs per box, 1 Single GPO Per Box

More Patching is available on grid bars running DS-US at random numbered intervals. There are 14 patches on each of the 3 bars running in this way.

Power:

3 Phase Outlets

1 32amp 3 Phase outlet. US wall, OP Side.

Cabling:

240v Extension Cable

The theatre has sufficient 240v extension to suit its standard lighting rig. There is a small stock of cable available for other uses.

AUDIO

Control Positions:

Control Room

Bio Box, Dedicated position at rear centre. No seats Pulled.

Other

At any of the desired Patch Boxes.

Control & Amplification:

Primary Mixer

Yamaha O1v96 Digital Mixing Console
12 Mono Inputs, 2 stereo inputs, 4 omni outs, Onboard dynamics and FX.

EQ

DBX 1231 – 31band Stereo Graphic Equaliser
DOD 430cx – Dual 15 Band Equaliser
Onboard 4 Band Parametric EQ Yamaha O1v96

FX

All Onboard Yamaha O1v96

Compression / Limiter / Gates

All Onboard Yamaha O1v96

Speakers:

FOH Speakers

2 x JBL 515 Self Powered 450w Speakers

Fold back

2 x JBL EON G2 Self Powered Speakers

Playback:

Item	Make	Model	Detail	Total
CD Player	Tascam	CDA-500	Single CD Player	1

Microphones:

Please Note: All Stock is subject to availability and must be confirmed at lease ONE MONTH prior to hire.

Make	Model	Detail / Accessories	Use	Total
Shure	SM58	Clip	Vocal	2
Shure	SM57	Clip	Instrument/Vocal	2
Shure	MX202	Hanging Condenser Microphone	Choir/general coverage	1
Shure	MX418	Gooseneck Condenser Microphone	Lecturn Microphone	1
AKG	D880	Clip	Vocal	6
Behringer	DI-100	Active DI Box	Direct Injection	3
Shure	SLX			4

Line Patching:

Location	Quantity	Numbering	Detail
Patch Box	7 Boxes	-	4 Mic and 2 line patches per box

Cabling:**Audio Cable**

The theatre has a good stock of cable to accommodate its own equipment.

AUDIO VISUAL

Projection:

Projection is typically from a data projector rigged from the LX grid

Projectors:

Type	Model	Detail / Accessories	Total
EPSON	EB 1985 WU	4,800 Ansi Lumens -	1

Screens:

Projection Screen

3x3m Electric drop down projection screen. Front Projection only.

Additional Screens

12' x 9' AV Stumpfl fast fold front projection screen.

AV Playback Equipment:

Item	Model	Detail / Accessories	Total
DVD /VHS Player	NEC NDT-41	Combo DVD/VHS Player	1

Projector Rigging Points:

The projector can be rigged from any point in the LX grid. The centre has limited cabling to patch the projector at various points.

BACKSTAGE

Communications: (must be confirmed prior to access day)

Talkback

Master Unit **Jands Ezicom E-200 Master station. (2 ring)**

Total sub stations **2**

Total headsets **3, single eared.**

Headsets can be located at any one of the 7 Patch boxes and the Bio Box

Paging / Show relay (must be confirmed prior to access day)

Paging to the dressing rooms is available from the Bio Box. Show relay is distributed to dressing room.

Dressing Rooms:

Dressing Room	Capacity	Toilets	Shower	Details
Dressing Room	7	1 Unisex	NO	Shower is available in the downstairs toilet.

Stage Door:

Access

Stage door is located up the metal stairs in between the arts centre and the Town Hall

ADDITIONAL FACILITIES & INFORMATION

Please note a Yamaha 5.5 foot baby grand piano stays in the Theatre. For Hirers this can be removed at a cost to you. 3 weeks notice must be given

VENUE:

Venue Contacts:

Venue Address **979 Nepean Highways, Moorabbin, Victoria, 3189.**

Venue Postal Address **979, Nepean Highway, Moorabbin, Victoria, 3189.**

Staff Contacts:

For all Enquiries, please contact:

Arts & Cultural Services Operations Co-ordinator: Vince Healy

Phone number: 03-9556-4413

Mobile Number: 0418 - 345 - 969

Fax number: 03-9556-4441

Email address: vince.healy@kingston.vic.gov.au